

METABOLISM-U BLUEPRINT SERIES • BP-038

CREATINE AFTER 50: NOT JUST FOR BODYBUILDERS

What the science really says about muscle, strength, brain health, and healthy aging

Rodney C. Curtis, MD | Metabolism-U LLC | October 2026

Why creatine deserves attention after 50

Creatine is frequently marketed to bodybuilders, but its biology is relevant to anyone who wants to remain strong and physically capable with age. It helps replenish energy during brief, demanding efforts. The most convincing evidence supports creatine monohydrate as an adjunct to progressive resistance training, not as a substitute for exercise, adequate protein, or a balanced diet. Some other proposed benefits, particularly for cognition, remain uncertain [1–4].

What is creatine, and where does it come from?

Creatine is made in the body primarily from amino-acid precursors through processes involving the kidneys and liver; it is also obtained from foods such as meat and fish. Most creatine is stored in skeletal muscle, where a portion is converted to phosphocreatine. Vegetarians may have lower baseline muscle creatine stores, but that does not mean everyone following a plant-based diet needs a supplement [1,2].

The energy system: why muscle uses creatine

During a demanding contraction, muscles consume adenosine triphosphate (ATP), their immediate energy currency. Phosphocreatine rapidly donates a phosphate group to help regenerate ATP. This buffering system is particularly important for repeated short bursts of effort, such as lifting weights, standing rapidly, or climbing stairs. Supplementation increases muscle creatine stores in many, but not all, people, potentially improving the ability to perform repeated high-intensity efforts [1,2].

What benefits are best supported?

Outcome	What the evidence suggests	Important limitation
Strength and lean mass	Earlier reviews suggest gains in strength and lean mass [3,4]. A 2026 analysis found a small additional strength benefit, but uncertain effects on mass and physical function [13].	Strength benefit is small; 2026 pooled effects on muscle mass and physical function were not statistically significant. Lean mass is not identical to contractile muscle.
High-intensity performance	Can improve performance in some repeated short-duration, high-effort activities [1,2].	Less evidence for steady-state endurance or everyday independence outcomes.

Physical function	May contribute indirectly when stronger training translates into better performance.	Not proven to prevent falls, disability, or loss of independence on its own.
Brain and cognition	Biologically plausible; small trials and reviews suggest possible effects in selected settings [5].	Evidence is mixed and insufficient for a routine brain-health recommendation.

Creatine, aging, and physiological reserve

Muscle strength and power are important components of physical reserve: the capacity to handle unexpected physical demands. Creatine may help some older adults train harder or gain more strength over time, but the training stimulus is fundamental. Evidence for benefits without resistance training is less consistent. Functional capacity also depends on balance, aerobic fitness, mobility, neurological health, and other factors [3,4].

Does creatine improve memory or protect the brain?

Why the brain may benefit

The brain requires continuous ATP production for signaling, attention, and memory. The creatine–phosphocreatine system helps buffer short-term energy demand. Supplementation may influence brain creatine stores, but uptake is slower and less predictable than in skeletal muscle. Biological plausibility does not, by itself, prove cognitive benefit [5,9–12].

Memory: an encouraging, but not definitive, signal

A 2023 meta-analysis reported a modest average memory benefit, with a larger but uncertain signal in a small older-adult subgroup [9]. A 2024 synthesis of 16 randomized trials (492 participants) found improvements in some memory outcomes [10]. However, a 2026 review focused on adults aged 55+ included only six studies, with mixed designs and results, underscoring the limited basis for routine cognitive recommendations [12].

Attention, concentration, and processing speed

The 2024 meta-analysis found improvements in some attention-task times and processing-speed measures, but not global cognition or executive function. Evidence certainty was low for attention and processing speed [10]. Laboratory task performance should not be equated with dependable everyday concentration or clinically meaningful improvement.

Sleep deprivation: a compelling experimental finding

In a 2024 randomized crossover experiment, researchers gave a single 0.35 g/kg dose of creatine monohydrate during approximately 21 hours of sleep deprivation. They observed improvements in cognitive performance and changes in brain high-energy phosphate measures compared with placebo [11]. This suggests creatine might help counter some cognitive effects of acute sleep loss, but the experiment was small and short-term; it did not establish routine use, long-term safety at that dose, or improved real-world performance.

CAUTION: The experimental 0.35 g/kg dose equals approximately 24.5 g for a 70-kg adult—far above typical 3–5 g/day maintenance use. Do not copy this experimental regimen for sleep deprivation, driving, shift work, or travel. Adequate sleep and fatigue-risk precautions remain essential.

Jet lag and shift work: do not overinterpret the results

Sleep deprivation, shift work, and jet lag overlap but are not the same. Jet lag primarily reflects circadian misalignment after crossing time zones. Studies of sleep deprivation do NOT establish that creatine resets the body clock, treats jet lag, prevents fatigue-related errors, or replaces adequate sleep. Clinical trials specifically testing jet lag are needed before making such recommendations.

What about dementia prevention?

No convincing clinical evidence establishes that creatine prevents Alzheimer disease, dementia, or age-related cognitive decline. Research on brain energetics and neurological disorders is ongoing, but preliminary cognitive test improvements should not be translated into disease-prevention claims [5,10,12].

Metabolism-U interpretation

For adults over 50, the most defensible benefit is a modest additional improvement in strength when creatine accompanies resistance training; evidence for extra muscle mass or improved physical function is less certain [13]. Memory and sleep-deprivation findings are interesting but not sufficient to prescribe creatine for brain health. No optimal cognitive dose or duration has been established. Never self-administer high experimental doses. Seek guidance from a physician and registered dietitian or appropriately licensed nutrition specialist, particularly with medical conditions, abnormal kidney tests, medication use, or contemplated higher doses.

Not all creatine supplements are equal

Form	What consumers should know
Creatine monohydrate	Most extensively studied for efficacy and safety; generally the default evidence-based choice [1,2].
Micronized monohydrate	Smaller particles may mix differently; it is still creatine monohydrate, not a proven stronger form.
Creatine hydrochloride (HCl)	Often marketed as requiring less product; convincing head-to-head evidence of superior muscle outcomes is lacking.
Buffered, nitrate, ethyl ester, and other forms	Higher prices and claims of superior absorption do not establish better real-world results than monohydrate.
Gummies, blends, and pre-workouts	Check actual creatine grams per serving, added sugars, caffeine/stimulants, and independent testing.

How much creatine? Practical approaches

For generally healthy adults, a common studied maintenance approach is 3–5 g/day of creatine monohydrate. An optional loading strategy uses approximately 20 g/day divided into four 5-g doses for about 5–7 days, followed by 3–5 g/day. Loading raises stores faster but is not necessary; a steady daily dose builds stores more gradually. These are research conventions, NOT individualized medical prescriptions [1,2].

- Timing: consistent daily use appears more important than an exact pre- or post-workout time; strong evidence for one optimal timing strategy is lacking.
- Mixing: use water or a tolerated beverage; take with food if it causes stomach discomfort.
- Early weight change: an increase on the scale can reflect water retained within muscle; it should not automatically be interpreted as body-fat gain.
- Stopping: muscle creatine stores gradually return toward baseline over several weeks; there is no established physiological withdrawal syndrome.

Read the label before buying

Example: a product lists “Serving size: 2 gummies,” “Creatine monohydrate: 3 g,” and “Calories: 35.” Two gummies provide the listed 3 g, not 3 g each. To obtain 5 g from that product would require 5 ÷ 3 × 2 = 3.33 gummies—an awkward and imprecise dose, illustrating why a measured powder may be simpler. Do not exceed labeled directions or adjust a product with other active ingredients without professional advice.

Another example: a powder lists 5 g creatine monohydrate per 5-g serving and 100 servings per tub. At a $30 purchase price, the cost is $30 ÷ 100 = $0.30 per 5-g serving. Compare cost per verified gram of creatine—not container size or marketing claims. A kitchen scale measures powder mass, not laboratory-confirmed purity.

Safety: who should seek professional advice before using creatine?

METABOLISM-U CLINICAL SAFETY RULE: If you have a medical condition, take prescription medications, have abnormal kidney tests, or are undergoing treatment, discuss creatine with your treating physician or appropriately licensed nutrition professional BEFORE starting or increasing supplementation. Do not interpret a general supplement dose as medical clearance.

- Chronic kidney disease, reduced kidney function, a single functioning kidney, prior kidney injury, or abnormal kidney tests: obtain clinician review; safety evidence from healthy adults must not be generalized to kidney disease.

- Creatinine testing: creatine supplementation can increase serum creatinine in some people without necessarily indicating kidney injury. Nevertheless, an elevated result must not be dismissed. Tell your clinician about use; they may assess trends, urine findings, and alternative kidney markers such as cystatin C where appropriate [6].
- Pregnancy, breastfeeding, children/adolescents, or complex medical illness: avoid self-prescribing; evidence and clinical considerations differ from healthy adults.
- Dehydration, gastrointestinal symptoms, and medication concerns: review your circumstances with a clinician. Avoid claims that creatine is guaranteed to prevent—or cause—cramps or dehydration.
- Surgery, hospitalization, or prescribed nutrition therapy: follow the treating team's instructions about whether and when supplements should be held or resumed.

How to select a safer, higher-value product

- Prefer plain creatine monohydrate with the amount per serving clearly stated and few unnecessary additives.
- Look for independently tested products; verify the exact formulation in an active certification database (for example NSF Certified for Sport or Informed Sport). Certification scopes differ and do not guarantee zero risk.
- Check lot number, expiry date, manufacturer information, allergen statements, and price per effective serving.
- Be cautious about "pharmaceutical grade," "100% absorption," "brain protection," or "kidney safe for everyone" marketing claims.

Metabolism-U practical recommendation

For a healthy adult over 50 who performs progressive resistance training and struggles to maintain strength, creatine monohydrate is a reasonable supplement to DISCUSS as an optional adjunct. It is not essential for everyone, does not replace physical training, and has not been established as a treatment for dementia or a way to prevent disability. Begin with your training program, adequate dietary protein, sleep, and medical context; then decide whether the modest potential benefit is worth the cost and routine [1–5].

For more on dietary protein and healthy aging, visit https://www.metabolismu.com/Nutrition and explore BP-037, "Protein Powder: Not All Scoops Are Created Equal."

Selected scientific references and verification resources

1. Kreider RB, et al. International Society of Sports Nutrition position stand: safety and efficacy of creatine supplementation in exercise, sport, and medicine. J Int Soc Sports Nutr. 2017;14:18. doi:10.1186/s12970-017-0173-z.

2. Kreider RB, et al. Common questions and misconceptions about creatine supplementation: what does the scientific evidence really show? J Int Soc Sports Nutr. 2021;18:13. doi:10.1186/s12970-021-00412-w.

3. Chilibeck PD, et al. Effect of creatine supplementation during resistance training on lean tissue mass and muscular strength in older adults: a meta-analysis. Open Access J Sports Med. 2017;8:213–226. doi:10.2147/OAJSM.S123529.

4. Devries MC, Phillips SM. Creatine supplementation during resistance training in older adults—a meta-analysis. Med Sci Sports Exerc. 2014;46:1194–1203. doi:10.1249/MSS.0000000000000220.

5. Avgerinos KI, et al. Effects of creatine supplementation on cognitive function of healthy individuals: a systematic review of randomized controlled trials. Exp Gerontol. 2018;108:166–173. doi:10.1016/j.exger.2018.04.013.

6. National Kidney Foundation. Creatinine and kidney-function testing; educational guidance. kidney.org. (Consult current clinical guidance; this is not a creatine-supplement safety endorsement.)

7. NSF Certified for Sport. Product verification and certification scope. nsfsport.com.

8. Informed Sport. Supplement certification and testing scope. sport.wetestyoutrust.com.

9. Prokopidis K, et al. Effects of creatine supplementation on memory in healthy individuals: a systematic review and meta-analysis of randomized controlled trials. Nutr Rev. 2023;81(4):416–427. doi:10.1093/nutrit/nuac064.

10. Xu C, et al. The effects of creatine supplementation on cognitive function in adults: a systematic review and meta-analysis. Front Nutr. 2024;11:1424972. doi:10.3389/fnut.2024.1424972.

11. Gordji-Nejad A, et al. Single dose creatine improves cognitive performance and induces changes in cerebral high energy phosphates during sleep deprivation. Sci Rep. 2024;14:4937. doi:10.1038/s41598-024-54249-9.

12. Marshall S, Kitzan A, Wright J, Bocicariu L, Nagamatsu LS. Creatine and cognition in aging: a systematic review of evidence in older adults. Nutr Rev. 2026;84(2):333–344. doi:10.1093/nutrit/nuaf135. Note: subsequent methodological commentary has questioned aspects of this review (Nutr Rev. 2026;84(10):2215–2218; doi:10.1093/nutrit/nuaf240).

13. Yao L, Yang D, Gao J. Effects of resistance training combined with creatine supplementation on muscle strength, physical function, and muscle mass in older adults: a systematic review and three-level meta-analysis. Front Nutr. 2026;13:1919884. doi:10.3389/fnut.2026.1919884.

Medical, nutrition, and exercise disclaimer

This Blueprint provides general education only; it is not medical advice, diagnosis, treatment, or an individualized exercise or supplement prescription. Before starting or changing creatine use, seek advice from your treating physician and a registered dietitian or appropriately licensed nutrition specialist if you have kidney disease, abnormal kidney or other laboratory results, a solitary kidney, significant illness, take prescription medicines, are pregnant or breastfeeding, or are preparing for surgery. Some individuals should avoid unsupervised supplementation. High-dose sleep-deprivation research protocols are NOT recommended for self-use and must never substitute for sleep or fatigue-risk precautions. Tell clinicians about creatine use when interpreting serum creatinine; do not dismiss abnormal results. Do not stop prescribed treatment or substitute supplements for medical nutrition. Consult a qualified clinician before beginning an exercise program when clinically indicated. Evidence and products may change.

Editorial, AI, and originality disclosure

AI tools assisted with organization, drafting, editing, reference checks, and formatting. Scientific literature was reviewed for this edition, including 2026 evidence; this is not a systematic review or a formal plagiarism/similarity-screening clearance. Published studies may contain limitations or subsequent commentary, and research findings and clinical guidance may change. Readers should not treat this Blueprint as an individualized clinical recommendation.

© 2026 Metabolism-U LLC. All Rights Reserved. Complete, unaltered noncommercial educational sharing is permitted with attribution; other reproduction requires permission.

Better Metabolism – Stronger Body – More Independent You. | ABOVE ALL — NEVER SETTLE.